




Classic High Quality & Affordable Roller Fabrics

Basics 3

Charleston



Max Width:

BO 2800mm | SCR 3200mm

Opacity:

Blockout + Screen



Years Warranty



Blinds
by Peter Meyer

SINCE
1987

QUALITY + DESIGN EXCELLENCE

Charleston



Blockout

Opacity: Blockout

Suitability: Roller + Roman + Panel

Max. Width: 2800mm

Composition: 100% Poly w. Colour Co-Ord Foam Acrylic Back + PVC free + Lead free

Weight: 380gsm

Thickness: 0.43mm

Colour Fastness: Minimum 6 (Blue Scale) Tested to ISO 105-B02:2014

Performance:

Opacity: Blockout (complies to AS 2663.2. 1999)

UV Protection: 98% (tested to S/NZS 4399:1996)


Protection:

Complies with Building Code of Australia requirements for Class 2 to 9 (a) buildings.

Tested to AS 1530 Part III. + Air Quality: VOC Tested US EPA 5021A:2003

Care Instructions:

Surface dust should be removed with duster or soft cloth. Never use abrasive products or solvent/industrial based cleaners.



Screen

Opacity: Screen

Suitability: Roller + Roman + Panel

Max. Width: 3200mm

Composition: 27% Polyester | 73% Vinyl on Polyester Weave: 2x1

Openness Factor: Approximately 5% | Formaldehyde Free | Lead Free

Weight: 471gsm

Thickness: 0.69mm

Colour Fastness: 4-5 minimum 5 (Blue Scale)

Performance:

Energy Saving + UV Protection: 95% + Printable

Protection:

Greenguard Gold - accreditation for use in the sensitive areas eg schools and healthcare facilities

Complies with Building Code of Aust. requirements for Class 2 to 9 (a) buildings. Tested to AS 1530.3

Care Instructions:

Surface dust should be removed with duster or soft cloth. Fabric may be wiped with a damp sponge and dried with a clean cloth. Never use abrasive products or solvents/industrial based cleaners. Do not roll up fabric which is damp.

Note:

Colour variances may occur between fabric production batches. These variances are within industry tolerances.

Basics3

Paint



Charleston | Colour Matching

Charleston colours reflect current interior design trends.

This table indicates which Charleston colours compliment each other and the colours of leading paint manufacturers in Australia.

| Charleston | | Dulux | Taubmans |
|------------|----------------|------------------|---------------|
| Block | Screen | | |
| Salt | Ice White | White on White | Miss Universe |
| Stella | White | Lexicon Half | Tahira White |
| Stella | White Stone | Casper White 1/4 | Crisp White |
| Nova | White Linen | White Beach 1/4 | Chalk Stone |
| Dove | White Grey | Tranquil Retreat | White Shaver |
| Shadow | Blue Grey | Accord | Snow Goose |
| Aztec | Dune Grey | Pipe Clay | Taupe Grey |
| Iron | Charcoal Grey | Timeless Grey | Navigate |
| Tempo | Charcoal Slate | Flooded Gum | Pebble Bay |
| Basalt | Charcoal | Western Myall | Trendy |



Charleston | Screen

Solar Optical Properties:

| Colour | Solar Optical Properties | | | | | Shading Coefficient | | |
|----------------|--------------------------|----|----|----|-----|---------------------|--------|--------|
| | Ts | Rs | As | Tv | Tuv | 3mm CL | 6mm CL | 6mm HA |
| Ice White | 23 | 67 | 10 | 20 | 9 | 0.30 | 0.30 | 0.28 |
| White | 22 | 71 | 7 | 20 | 7 | 0.31 | 0.32 | 0.31 |
| White Stone | 19 | 64 | 17 | 17 | 6 | 0.35 | 0.35 | 0.33 |
| White Linen | 21 | 63 | 16 | 19 | 7 | 0.37 | 0.37 | 0.34 |
| Dune Grey | 13 | 38 | 49 | 13 | 7 | 0.53 | 0.51 | 0.41 |
| White Grey | 13 | 53 | 34 | 14 | 6 | 0.42 | 0.41 | 0.36 |
| Blue Grey | 13 | 49 | 38 | 14 | 6 | 0.45 | 0.44 | 0.37 |
| Charcoal Grey | 7 | 13 | 80 | 11 | 6 | 0.69 | 0.65 | 0.48 |
| Charcoal Slate | 8 | 17 | 75 | 10 | 6 | 0.66 | 0.63 | 0.47 |
| Charcoal | 8 | 4 | 88 | 9 | 6 | 0.75 | 0.70 | 0.51 |

(Fabrics installed internally zero-degree profile angle)

Ts: Solar Transmittance

Rs: Solar Reflectance

As: Solar Absorptance

Tv: Visual Transmittance

3mm CL: 3mm Clear Glass

Tuv Ultraviolet Transmittance

6mm HA: Heat Absorbing Glass

6mm CL: 6mm Clear Glass